

Gauge Size

26 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Trex-Onics® Industrial Ethernet CAT7A Cable	Bus	4 PR	71
Trex-Onics® Industrial Ethernet CAT6A Cable	Bus	4 PR	72
24 AWG			
Chem-Gard® 200°C CAT6 Industrial Ethernet Horizontal Cable	Bus	4 PR	74
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	97
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	66
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	68
Trex-Onics® Low Capacitance Cable	Control/Instrumentation	2, 3, 4, 6, 9, 10, 12 PR	70
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	4 PR	64
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 4, 6, 9	62
23 AWG			
Trex-Onics® Profibus DP Type A Festoon/Trailing Cable	Bus	2	78
22 AWG			
Trex-Onics® Industrial Ethernet Shielded Horizontal CAT6A Cable	Bus	8	73
Trex-Onics® High-Flex PROFINET	Bus		75
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	97
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	68
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	126
20 AWG			
Trex-Onics® ControlNet RG-6U Quad-Shield Coaxial Cable	Bus	1	77
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	97
Super-Trex® Reduced Diameter Control Cable (20 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 47, 65	61
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18 PR	66
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	68
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 6, 9, 12 PR	64
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 6, 9, 12, 18, 24, 26	62
Thermo-Trex® 2000 Cable	High Temperature	1	111
18 AWG — Continued On Next Page			
Trex-Onics® Servo Motor Cable	VFD	4	51
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, ,8, 12	98
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	97
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 5, 12	99
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	3, 4, 12	101
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	104
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	3, 4, 12	105
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	3, 4, 12	102
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 12	102
Super-Trex® Reduced Diameter Control Cable (18 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 49, 65	60
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	66
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	64

Gauge Size

18 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18, 24, 33, 49, 65	62
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® 850 Cable	High Temperature	1	112
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Thermo-Trex® Igniter Wire with Fiberglass Jacket	Igniter	1	125
Thermo-Trex® Igniter Wire with Fluoropolymer Jacket	Igniter	1	125
Super-Trex® Ultra-Gard® Portable Cord (Type TC-ER Rated)	Portable Cord	3, 4	29
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 12	94
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	126
16 AWG			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8, 12	98
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	99
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	2, 3, 4, 12	101
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	104
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	2, 3, 4, 12	105
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4, 12	102
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8, 12	102
Super-Trex® Reduced Diameter Control Cable (16 AWG)	Control/Instrumentation	5, 7, 8, 12, 16, 19, 22, 25, 31, 33, 41, 47, 49, 60	58
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	64
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	3, 5, 9, 12, 19, 25, 31	62
Trex-Onics® Flat Festoon Cable	Flat Festoon	4, 8, 12	91
Thermo-Trex® 2800 Cable	High Temperature	3	110
Thermo-Trex® 2000 Cable	High Temperature	1, 4	111
Thermo-Trex® 850 Cable	High Temperature	1, 4, 12	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 500-Plus Silicone Cable	High Temperature	2, 3, 4, 5	119
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4, 7	116
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	9, 16	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 10, 12, 16, 20, 24, 33, 36, 41, 49	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 16, 20, 24	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 8	94
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	126
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Hybrid Cable & Hummel's Hybrid M23	VFD / Servo Motor		50
14 AWG — Continued On Next Page			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8, 12	98
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	99
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	101

Gauge Size

14 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	104
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	105
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	102
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8, 12	102
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	64
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	10	62
Trex-Onics® Flat Festoon Cable	Flat Festoon	8, 12	91
Thermo-Trex® 2800 Cable	High Temperature	1	110
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® 850 Cable	High Temperature	1	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	114
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	2, 3, 4, 7, 9, 12	116
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	7, 8, 10, 12, 16, 20, 24	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	8, 16, 37	52
Trex-Onics® Sootblower Cable	Retractable Coil Cord	4	93
Trex-Onics® High-Flex Ultra-Coil Retractiles	Retractable Coil Cord	4	94
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49

12 AWG — Continued On Next Page			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8	98
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	99
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	101
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	104
Chem-Gard® 150 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	105
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	102
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4	102
Super-Trex® Reduced Diameter Control Cable (12 AWG)	Control/Instrumentation	8, 12, 22	57
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	91
Thermo-Trex® 2800 Cable	High Temperature	1, 4	110
Thermo-Trex® 2000 Cable	High Temperature	1, 4	111
Thermo-Trex® 850 Cable	High Temperature	1, 4	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	114

Gauge Size

12 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 9, 12	116
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	4	29
Trex-Onics® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12, 20, 30	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 14, 30	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	4	94
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
Trex-Onics® Hybrid Cable & Hummel's Hybrid M23	VFD / Servo Motor		50

10 AWG			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	91
Thermo-Trex® 2800 Cable	High Temperature	1	110
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® 850 Cable	High Temperature	1	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	114
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 12	116
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard® Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard® Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard® Type TC-ER Portable Cord	Portable Cord	4	29
Super-Trex® Heavy-Duty High Flex Crane Cable	Reeling	12, 24	55
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12	53
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49

8 AWG — Continued On Next Page			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	116
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33

Gauge Size

8 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4	34
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
6 AWG			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	91
Thermo-Trex® 2000 Cable	High Temperature	1	111
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	116
Thermo-Trex® Soaking Pit Cable	High Temperature	4	113
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4, 5, 6	34
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
4 AWG			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	116
Thermo-Trex® Soaking Pit Cable	High Temperature	2	113
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4	34
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	35
Trex-Onics® Reduced Diameter Power Cable	Power	3	37
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Super-Trex® DC Welding Cable	Welding	1	46
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR	49
2 AWG — Continued On Next Page			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	116
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42

Gauge Size

2 AWG — Continued

PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3, 4, 5	34
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	35
Trex-Onics® Reduced Diameter Power Cable	Power	3	37
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Super-Trex® DC Welding Cable	Welding	1	46

1 AWG

Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	100
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	105
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® DC Welding Cable	Welding	1	46

1/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Type W Portable Power & Automation Cable	Power	2	33
Super-Trex® Type W/Type TC Portable Power & Automation Cable	Power	2, 3	34
Super-Trex® Type MV-105 Cable	Power		41
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Super-Trex® DC Welding Cable	Welding	1	46

2/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	4, 3	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Super-Trex® DC Welding Cable	Welding	1	46

3/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118

Gauge Size

4/0 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® DC Welding Cable	Welding	1	46
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Thermo-Trex® 500 Cable	High Temperature	1	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	117
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® 4/0 Type TC Power Cable	Power	2, 3	36
Super-Trex® Type MV-105 Cable	Power		41
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Super-Trex® DC Welding Cable	Welding	1	46
250 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
262 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
313 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
350 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type MV-105 Cable	Power		41
373 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
444 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
500 KCMIL			
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	115
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type MV-105 Cable	Power	1	41

Gauge Size

535 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
646 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
750 KCMIL			
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
777 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39

Ratings

RATING	PAGE
ANSI TIA/EIA 568-B	50, 71, 73
Antimicrobial	102
ASTM B-33	42
AWM	51-52, 69
CE	48-49, 58, 60-61, 82, 94
Corona Resistant to 2,000 V	47-49
CSA	29-31, 35-37, 46-46, 48-49, 53, 56-57, 61-68, 87-88, 97-105, 112, 118-119
CSA – 1,000 V	48-49
cUL	32-34, 47, 75, 123
Direct Burial	41
EIA RS-232/422/485	70
Extra Hard Usage	29-31, 34-35, 38, 56
For CT Use	39
Frequency Range up to 500 MHz	72
Frequency Range up to 1000 MHz	50, 71
FT-1 Flame Rating	30-32, 37, 45-46, 51-54, 57, 61-68, 97, 99-105, 123
FT-2 Flame Rating	77, 119
FT-4 Flame Rating	29, 36, 42, 48-49, 58-60, 80-82
FT-5 Flame Rating	33, 35, 56
Halogen-Free Flame Retardant	71-73
ICEA S-75-381	33-34
ICEA S-75-381/NEMA WC-58	42
IEC 60332-1	50, 71-72
IEC 61156-5	75
IEC 61156-6	50, 71-72
IEEE - 383 Flame Rating	42
IEEE 1202 Flame Rating	33, 39, 41
ISO/IEC 11801	50, 71, 72