

Gauge Size

26 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Trex-Onics® Industrial Ethernet CAT7A Cable	Bus	4 PR	70
Trex-Onics® Industrial Ethernet CAT6A Cable	Bus	4 PR	71
24 AWG			
Chem-Gard® 200°C CAT6 Industrial Ethernet Horizontal Cable	Bus	4 PR	73
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	98
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	65
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Trex-Onics® High-Flex Low Capacitance Communication / Instrumentation Cable	Control/Instrumentation	2, 3, 4, 6, 9, 10, 12 PR	69
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	4 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 4, 6, 9	61
22 AWG			
Trex-Onics® Profibus DP Type A Festoon/Trailing Cable	Bus	2	79
Trex-Onics® Industrial Ethernet Shielded Horizontal CAT6A Cable	Bus	8	72
Trex-Onics® High-Flex PROFINET	Bus		74
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	98
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	130
20 AWG			
Trex-Onics® ControlNet RG-6U Quad-Shield Coaxial Cable	Bus	1	78
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	98
Super-Trex® Reduced Diameter Control Cable (20 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 47, 65	60
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18 PR	65
Trex-Onics® Individually Shielded Resolver Cable	Control/Instrumentation	2, 3, 4, 6, 7, 9 PR	67
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 6, 9, 12 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 6, 9, 12, 18, 24, 26	61
Thermo-Trex® 2000 Cable	High Temperature	1	112
18 AWG — Continued On Next Page			
Trex-Onics® Servo Motor Cable	VFD	4	51
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	3, 4, 8, 12	99
Chem-Gard® 200 Individually Shielded Multi-Pair Control / Resolver Cable	Chemical & Temp. Resistant	2, 3, 4, 6, 7, 9 PR	98
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 5, 8, 12	100
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	3, 4, 8, 12	102
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	106
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	3, 4, 12	103
Super-Trex® Reduced Diameter Control Cable (18 AWG)	Control/Instrumentation	5, 12, 19, 25, 33, 49, 65	59
Trex-Onics® Individually Shielded Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	65
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12 PR	63
Thermo-Trex® 200 HD Single Conductor Cable	High Temperature	1	118

Gauge Size

18 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	2, 3, 4, 6, 9, 12, 18, 24, 33, 49, 65	61
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® 850 Cable	High Temperature	1	113
Thermo-Trex® Flare Stack Cable	Igniter	1	128
Thermo-Trex® Igniter Wire with Fiberglass Jacket	Igniter	1	129
Thermo-Trex® Igniter Wire with Fluoropolymer Jacket	Igniter	1	129
Super-Trex® Ultra-Gard Portable Cord (Type TC-ER Rated)	Portable Cord	3, 4	29
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 12	95
Thermo-Trex® Type JX, KX, RSX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	130

16 AWG			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	3, 4, 8, 12	99
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 8, 12	100
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	2, 3, 4, 8, 12	102
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	103
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8	103
Super-Trex® Reduced Diameter Control Cable (16 AWG)	Control/Instrumentation	5, 7, 8, 12, 16, 19, 22, 25, 31, 33, 41, 47, 49, 60	57
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	3, 5, 9, 12, 19, 25, 31	61
Trex-Onics® Flat Festoon Cable	Flat Festoon	4, 8, 12	92
Thermo-Trex® 2800 Cable	High Temperature	3,4	111
Thermo-Trex® 2000 Cable	High Temperature	1, 4	112
Thermo-Trex® 850 Cable	High Temperature	1, 4, 12	113
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	116
Thermo-Trex® 500-Plus Silicone Cable	High Temperature	2, 3, 4, 5, 7, 16	123
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4, 7	118
Thermo-Trex® 200 HD Single Conductor Cable	High Temperature	1	118
Thermo-Trex® Flare Stack Cable	Igniter	1	128
Super-Trex® Triple-Gard Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 10, 12, 16, 20, 24, 33, 36, 41, 49	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 16, 20, 24, 37	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	3, 4, 8	95
Thermo-Trex® Type JX, KX Thermocouple Extension Wire	Thermocouple Extension Wire	1, 2 PR	130
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Hybrid Cable & Hummel's Hybrid M23	VFD / Servo Motor		50

14 AWG — Continued On Next Page			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8, 12	99
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4, 12	100
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	102

Gauge Size

14 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	103
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4, 8, 12	103
Trex-Onics® Multi-Pair Control Cable	Control/Instrumentation	1 PR	63
Trex-Onics® Overall Shielded Continuous Flex Multi-Conductor Cable	Control/Instrumentation	10	61
Trex-Onics® Flat Festoon Cable	Flat Festoon	8, 12	92
Thermo-Trex® 2800 Cable	High Temperature	1	111
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® 850 Cable	High Temperature	1	113
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	116
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	2, 3, 4, 7, 9, 12	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119
Thermo-Trex® 14-AWG 500 Plus Silicon Cable	High Temperature	3	119
Thermo-Trex® 12-AWG 500 Plus Silicon Cable	High Temperature	3,4	119
Thermo-Trex® Flare Stack Cable	Igniter	1	128
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Multi-Conductor P&R Cable	Reeling	7, 8, 10, 12, 16, 20, 24	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	8, 10, 12, 16, 37	52
Trex-Onics® Sootblower Cable	Retractable Coil Cord	4	94
Trex-Onics® High-Flex Ultra-Coil Retractiles	Retractable Coil Cord	4	95
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49

12 AWG — Continued On Next Page			
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 8	99
Chem-Gard® 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	100
Chem-Gard® 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	102
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable with Defender Technology – Shielded	Chemical & Temp. Resistant	4	103
Chem-Gard® 150 Cable with Defender Technology – Unshielded	Chemical & Temp. Resistant	4	103
Super-Trex® Reduced Diameter Control Cable (12 AWG)	Control/Instrumentation	8, 12, 22	56
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	92
Thermo-Trex® 2800 Cable	High Temperature	1, 4	111
Thermo-Trex® 2000 Cable	High Temperature	1, 4	112
Thermo-Trex® 850 Cable	High Temperature	1, 4	113
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	116
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 9, 12	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119

Gauge Size

12 AWG — Continued

PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® Flare Stack Cable	Igniter	1	128
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard Type TC-ER Portable Cord	Portable Cord	3, 4	29
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12, 20, 30	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	6, 8, 12, 14, 24, 30, 37, 50	52
Trex-Onics® High-Flex Ultra-Coil Retractable	Retractable Coil Cord	4	94
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
Trex-Onics® Hybrid Cable & Hummel's Hybrid M23	VFD / Servo Motor		50

10 AWG

Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 10AWG 200 Cable – Unshielded Multi-Conductor	Chemical & Temp. Resistant	4	99
Chem-Gard® 10AWG 200 Cable – Shielded Multi-Conductor	Chemical & Temp. Resistant	4	99
Chem-Gard® 200 TC Rated Cable	Chemical & Temp. Resistant	4, 7	106
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	92
Thermo-Trex® 2800 Cable	High Temperature	1	111
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® 850 Cable	High Temperature	1	113
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	116
Thermo-Trex® 500-K Multi-Conductor Cable	High Temperature	2, 3, 4, 5, 7, 9, 12	115
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	3, 4, 7, 12	118
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119
Thermo-Trex® 10AWG 500 Plus Silicone Cable	High Temperature	4	119
Thermo-Trex® Flare Stack Cable	Igniter	1	124
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Triple-Gard Yellow Portable Cord	Portable Cord	3, 4	30
Super-Trex® Triple-Gard Black Portable Cord	Portable Cord	3, 4	31
Super-Trex® Ultra-Gard Type TC-ER Portable Cord	Portable Cord	4	29
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Multi-Conductor P&R Cable	Reeling	6, 8, 12	53
Trex-Onics® Reduced Diameter Extra Heavy-Duty Reeling Cable	Reeling	12, 24	52
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49

8 AWG — Continued On Next Page

Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	106
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	116
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33

Gauge Size

8 AWG — Continued			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Type W/Yellow Portable Power & Automation Cable	Power	2, 3, 4	34
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
6 AWG			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Trex-Onics® Flat Festoon Cable	Flat Festoon	4	92
Thermo-Trex® 2000 Cable	High Temperature	1	112
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	118
Thermo-Trex® Soaking Pit Cable	High Temperature	4	114
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Yellow Portable Power & Automation Cable	Power	2, 3, 4, 5, 6	34
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR, 4 + 2 PR	49
4 AWG			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Chem-Gard® 150 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	106
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	118
6 AWG Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
4 AWG Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
2 AWG Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
Thermo-Trex® Soaking Pit Cable	High Temperature	2	115
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W/Yellow Portable Power & Automation Cable	Power	2, 3, 4	34
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	35
Trex-Onics® Reduced Diameter Power Cable	Power	3	37
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Trex-Onics® Low Capacitance VFD Shielded Power Cable	VFD	4	48
Super-Trex® 600 Volt Welding Cable	Welding	1	45
Trex-Onics® Low Capacitance VFD Shielded Power Cable with Brake & Signal Pairs	VFD	4 + 1 PR	49
2 AWG — Continued On Next Page			
Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Multi-Conductor Cable	High Temperature	4	118
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42

Gauge Size

2 AWG — Continued

PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Extreme Temperature Cable	Portable Cord	3, 4	32
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	2, 4	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type W/Yellow Portable Power & Automation Cable	Power	2, 3, 4, 5	34
Super-Trex® Aramid Reinforced Orange Portable Power Reeling Cable	Power & Reeling	4	35
Trex-Onics® Reduced Diameter Power Cable	Power	3	37
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45

1 AWG

Chem-Gard® 200 Cable – Unshielded Single Conductor	Chemical & Temp. Resistant	1	101
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
1AWG Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
3/0 AWG Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	118
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42

1/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	2	33
Super-Trex® Type W/Yellow Portable Power & Automation Cable	Power	2, 3	34
Super-Trex® Type MV-105 Cable	Power		41
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45

2/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W Portable Power & Automation Cable	Power	4, 3	33
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45

3/0 AWG

Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	116
-------------------------------------------	------------------	---	-----

Gauge Size

4/0 AWG			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	119
Super-Trex® Type SH Single Conductor Power Cable / Assemblies	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® 4/0 Type TC Power Cable	Power	2, 3	36
Super-Trex® Type MV-105 Cable	Power		41
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
Super-Trex® 600 Volt Welding Cable	Welding	1	45

250 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	
Super-Trex® Type SH Single Conductor Power Cable / Assemblies	Medium Voltage	1	42
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38

262 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47

313 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39

350 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	
Super-Trex® Type SH Single Conductor Power Cable / Assemblies	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type MV-105 Cable	Power		41

373 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47

444 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47

500 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Thermo-Trex® 500-K Single Conductor Cable	High Temperature	1	117
Thermo-Trex® 200-HD Single Conductor Cable	High Temperature	1	
Super-Trex® Type SH Single Conductor Power Cable / Assemblies	Medium Voltage	1	42
Super-Trex® Unshielded Jumper Cable (15 kV)	Medium Voltage	1	44
Super-Trex® Type W—RHH/RHW-2 Single Conductor Power Cable	Power	1	38
Super-Trex® Type MV-105 Cable	Power	1	41

Gauge Size

535 KCMIL			
PRODUCT NAME	CABLE TYPE	NO. OF CONDUCTORS	PAGE
Super-Trex® Single Conductor Power Cable	Power	1	39
Super-Trex® Variable Frequency Drive Shielded Power Cable	VFD	3	47
646 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39
750 KCMIL			
Super-Trex® Type SH Single Conductor Power Cable	Medium Voltage	1	42
777 KCMIL			
Super-Trex® Single Conductor Power Cable	Power	1	39

Ratings

RATING	PAGE
ANSI TIA/EIA 568-B	50, 70, 72
Antimicrobial	103
ASTM B-33	42
AWM	51-52, 68
CE	48-49, 57, 59-60, 83, 95
Corona Resistant to 2,000 V	47-49
CSA	29-31, 35-37, 46-46, 48-49, 53, 55-56, 60-67, 88-89, 98-106, 113, 119
CSA – 1,000 V	48-49
cUL	32-34, 47, 74, 123
Direct Burial	41
EIA RS-232/422/485	69
Extra Hard Usage	29-31, 34-35, 38, 55
For CT Use	39
Frequency Range up to 500 MHz	71
Frequency Range up to 1000 MHz	50, 70
FT-1 Flame Rating	30-32, 37, 45-46, 51-54, 56, 60-67, 98, 100-106, 123
FT-2 Flame Rating	78, 119
FT-4 Flame Rating	29, 36, 42, 48-49, 57-59, 81-83
FT-5 Flame Rating	33, 35, 55
Halogen-Free Flame Retardant	70-72
ICEA S-75-381	33-34
ICEA S-75-381/NEMA WC-58	42
IEC 60332-1	50, 70-71
IEC 61156-5	74
IEC 61156-6	50, 70-71
IEEE - 383 Flame Rating	42
IEEE 1202 Flame Rating	33, 39, 41
ISO/IEC 11801	50, 70, 71

Ratings

RATING	PAGE
MSHA Approved	29, 30-31, 33-35, 45, 53, 55, 61, 65
ODVA Conformity	78, 81-89
RoHS Compliant	29-32, 36-39, 42, 45-46, 48-50, 53, 56-72, 78-79, 81-92, 95-98, 100-108, 111-113, 115-117, 119-123, 125-127, 132
Suitable for Class 1, 2, Division 2	36, 48-49, 52-53, 56, 57-59
Suitable for Class 1, 2, 3, Division 1 & 2	29-31, 33-35, 38, 55
Suitable for Class 1, 2, 3, Division 2	99
Sunlight Resistant	39, 41, 48-49, 74, 95
TIA / EIA 568-C-2	72
TIA / EIA 568-B-2 CAT6	73
Type PLTC	81-83
Type RHH/RHW	38-39
Type SC	45
Type SOOW	29-31
Type TC	56
Type TC – 600 V	53
Type TC-ER	29, 47, 52
Type TC-ER – 600 V	36, 48-49, 57-59
Type W	35, 55
Type W – 2,000 V	33-34, 38
Type WTTC – 1,000 V	53
UL Listed	29-31, 33-36, 38-41, 45, 47-49, 52-54, 55-59, 74, 88-89, 99
UL Recognized	32, 37, 51, 60-69, 72, 78-83, 95, 98, 100-106, 112-113, 116, 118-119, 123
UV Resistant	29-34, 36, 38, 45-46, 53, 72, 123,133
VW-1 Flame Rating	39, 52, 61-69, 98, 100, 103-106, 118